



B . L U M E N

lighting house

BY IC9 LLC

T H E C A T A L O G U E

2024

SURFACE MOUNTED 04

RECESSED 018

PENDANT 026

CONTACT 032


SURFACE MOUNTED



SURFACE MOUNTED



Price AED 590



Specification :
Model No: B.L 01

LED Light Source:
Osram 2835 (3000K)

LED Driver: Regular/ Eagle-
ise(CE&TUV&SAA

Material:
Die cast Aluminium

Beam Angle:
60 Degrees

Installation:
Surface Mounted

Item No / Colours:


B.L 01
sandy white
sandy black

12W
D116*H343MM

SURFACE MOUNTED



Price AED 448 / AED 559 / AED 667



Specification :
Model No: B.L 02

LED Light Source:
Cree Chip (3000K)

LED Driver: Regular/ Eagler-
ise(CE&TUV&SAA)

Material:
Die cast Aluminium

Beam Angle:
45 Degrees

Installation:
Surface Mounted

Item No / Colours:
B.L 02
sandy white
sandy black


7w
D66*H75 MM
D66*H180 MM
D240*H200 MM



SURFACE MOUNTED



Price AED 220

**Specification :**

Model No: B.L 03

LED Light Source:
Cree COB (3000K)

LED Driver: Regular/ Eagler-

Material:

Die cast Aluminium

Beam Angle:
12 Degrees

Installation:
Surface Mounted

Item No / Colours:


B.L 03
sandy white
sandy black

12w
D100*H70MM

SURFACE MOUNTED



Price AED 260



Specification :
Model No: B.L 06

LED Light Source:
Cree COB (3000K)

LED Driver: Regular/ Eagler-
ise(CE&TUV&SAA)

Material:
Die cast Aluminium

Beam Angle:
12 Degrees

Installation:
Surface Mounted


Item No / Colours:
B.L 06
sandy white
sandy black

12w
D100*H100MM

SURFACE MOUNTED



Price AED 260



Specification :
Model No: B.L 08

LED Light Source:
Osram 2835 (3000K)

LED Driver: Regular/ Eagler-
ise(CE&TUV&SAA)

Material:
Die cast Aluminium

Beam Angle:
120 Degrees

Installation:
Surface Mounted

Item No / Colours:
B.L 08
sandy white
sandy black


12w
D100*H100MM



SURFACE MOUNTED



Price AED 280



Specification :
Model No: B.L 09

LED Light Source:
Cree COB (3000K)

LED Driver: Regular/ Eagler-
ise(CE&TUV&SAA)

Material:
Die cast Aluminium

Beam Angle:
24 Degrees

Installation:
Surface Mounted

Item No / Colours:
B.L 09
sandy white
sandy black

12w
D100*H100 MM

SURFACE MOUNTED



Price AED 260



Specification :
Model No: B.L 10

LED Light Source:
Cree COB (3000K)

LED Driver: Regular/ Eagle
rise(CE&TUV&SAA)

Material:
Die cast Aluminium

Beam Angle:
38 Degrees

Installation:
Surface Mounted

Item No / Colours:


B.L 10
sandy white
sandy black

12w
D70*H180MM

SURFACE MOUNTED



Price AED 350



Specification :
Model No: B.L 17

LED Light Source:
Cree COB (3000K)

LED Driver: Regular/ Eagler-
ise(CE&TUV&SAA)

Material:
Die cast Aluminium

Beam Angle:
24 Degrees

Installation:
Surface Mounted

Item No / Colours:
B.L 17
sandy white
sandy black

2X12w
D100*H100 MM

SURFACE MOUNTED





Price AED 200 / AED 250

Specification :

Model No: B.L 21

LED Light Source: Osram 2835 (3000K)

LED Driver: Regular/ Eaglerise(CE&TUV&SAA)

Installation:

Surface Mounted

Material:

Die cast Aluminium & Glass

Beam Angle:

120 Degrees

Item No / Colours:

B.L 21

sandy white / sandy black

12 w D105*H55MM

18 w D155*H55MM



Price AED 120

Specification :

Model No: B.L 22

LED Light Source: Cree COB (3000K)

LED Driver: Regular/ Eaglerise(CE&TUV&SAA)

Material:

Die cast Aluminium

Beam Angle:

10 Degrees

Installation:

Surface Mounted

Item No / Colours:

B.L 22

sandy white / sandy black

12 w D80*H85MM



Price AED 160

Specification :

Model No: B.L 23

LED Light Source: GU10 (3000K)

Material:

Die cast Aluminium

Beam Angle:

10 / 24 Degrees

Installation:


Surface Mounted

Item No / Colours:

B.L 23

sandy white / sandy black

D80*H130MM



Price AED 220

Specification :

Model No: B.L 19

LED Light Source: Cree COB (3000K)

LED Driver: Regular/ Eaglerise(CE&TUV&SAA)

Material:

Die cast Aluminium

Beam Angle:

45 Degrees

Installation:

Surface Mounted


Item No / Colours:

B.L 19

sandy white / sandy black

12 w D76*H150MM

20 w D96*H150MM



Price AED 240

Specification :

Model No: B.L 25

LED Light Source: Cree COB (3000K)

LED Driver: Regular/ Eaglerise(CE&TUV&SAA)

Material:

Die cast Aluminium

Beam Angle:

45 Degrees

Installation:

Surface Mounted


Item No / Colours:

B.L 25

sandy white / sandy black

12 w D76*H150MM

20 w D96*H150MM



Price AED 285

Specification :

Model No: B.L 26

LED Light Source: Cree COB (3000K)

LED Driver: Regular/ Eaglerise(CE&TUV&SAA)

Material:

Die cast Aluminium

Beam Angle:

38 Degrees

Installation:

Surface Mounted

Item No / Colours:

B.L 26

sandy white / sandy black

12 w L&W100MM*H140MM

RECESSED







Price AED 186

Specification :

Model No: B.L 03

LED Light Source: Cree COB (3000K)

LED Driver: Regular/ Eaglerise(CE&TUV&SAA)

Material:

Die cast Aluminium

Beam Angle:

24 Degrees

Installation:

Recessed


Item No / Colours:

B.L 03

sandy white / sandy black

12 w D85*H45MM

Cut-out: 85-95MM



Price AED 200

Specification :

Model No: B.L 04

LED Light Source: Cree COB (3000K)

LED Driver: Regular/ Eaglerise(CE&TUV&SAA)

Material:

Die cast Aluminium

Beam Angle:

24 Degrees

Installation:

Recessed

Item No / Colours:

B.L 04

sandy white / sandy black

12 w D100*H85MM

Cut-out: 89-95MM



Price AED 200

Specification :

Model No: B.L 07

LED Light Source: Osram 2835 (3000K)

LED Driver: Regular/ Eaglerise(CE&TUV&SAA)

Material:

Die cast Aluminium

Beam Angle:

24 Degrees

Installation:

Recessed



Item No / Colours:

B.L 07

sandy white / sandy black

12 w D85*H36MM

Cut out: 70-80MM



Price AED 220

Specification :

Model No: B.L 11

LED Light Source: Cree COB (3000K)

LED Driver: Regular/ Eaglerise(CE&TUV&SAA)

Material:

Die cast Aluminium

Beam Angle:

38 Degrees

Installation:

Recessed

Item No / Colours:

B.L 11

sandy white / sandy black

12 w D100*H120MM Cut-out:92-96MM



Price AED 200

Specification :

Model No: B.L 12

LED Light Source: Cree COB (3000K)

LED Driver: Regular/ Eaglerise(CE&TUV&SAA)

Material:

Die cast Aluminium

Beam Angle:

38 Degrees

Installation:


Recessed

Item No / Colours:

B.L 12

sandy white / sandy black

12 w D45 *H120 MM Cut-out:70 MM



Price AED 89 / AED 105 / AED 125

Specification :

Model No: B.L 13

LED Light Source: Osram2835 (3000K)

LED Driver: Regular/ Coie(CE&TUV&SAA)

IP 52

Material:

Die cast Aluminium

Beam Angle:

38 Degrees

Installation:

Recessed

Item No / Colours:

B.L 13

sandy white / sandy black

7 w D80*H45MM Cut-out: 75MM

12 w D90*H48MM Cut-out:85MM

20 w D100*H53MM Cut-out:95MM



Price AED 200 / AED 220 / AED 250

Specification :

Model No: B.L 14

LED Light Source: Cree COB (3000K)
LED Driver: Regular/ Eaglerise(CE&TUV&SAA)
IP 52

Material:

Die cast Aluminium

Beam Angle:
120 Degrees

Installation:

Recessed / Frameless

Item No / Colours:


B.L 14
sandy white / sandy black

Item Size

7 w D75 * H 42 mm
Cut Out 75 mm

9 w D95 * H 49 mm
Cut Out 95 mm

12 w D120 * H 63 mm
Cut Out 120 mm



Price AED 250 / AED 270 / AED 300

Specification :

Model No: B.L 15

LED Light Source: Cree COB (3000K)
LED Driver: Regular/ Eaglerise(CE&TUV&SAA)
IP52

Material:

Die cast Aluminium

Beam Angle:
60 Degrees

Installation:

Recessed / Framless

Item No / Colours:

B.L 15
sandy white / sandy black

Item Size

7 w D75 * H 42 mm
Cut Out 75 mm

9 w D95 * H 49 mm
Cut Out 95 mm

12 w D120 * H 63 mm
Cut Out 120 mm



Price AED 250 / AED 270 / AED 300

Specification :

Model No: B.L 16

LED Light Source: Cree COB (3000K)
LED Driver: Regular/ Eaglerise(CE&TUV&SAA)

Material:

Die cast Aluminium

Beam Angle:
60 Degrees

Installation:

Recessed / Frameless

Item No / Colours:

B.L 016
sandy white / sandy black

Item Size

7 w D75 * H 42 mm
Cut Out 75 mm

9 w D95 * H 49 mm
Cut Out 95 mm

12 w D120 * H 63 mm
Cut Out 120 mm



Price AED 95 / AED 125

Specification :

Model No: B.L 27

LED Light Source: Cree COB (3000K)
LED Driver: Regular/ Eaglerise(CE&TUV&SAA)
IP20

Material:

Die cast Aluminium

Beam Angle:
10 Degrees

Installation:
Recessed / Mini Size

Item No / Colours:

B.L 27
sandy white

3w D35 *H65 MM Cut-out:30MM
6w D45 *H62 MM Cut-out:40MM
12w D82 *H80 MM Cut-out:75MM



Price AED 95 / AED 125

Specification :

Model No: B.L 28

LED Light Source: Cree COB (3000K)
LED Driver: Regular/ Eaglerise(CE&TUV&SAA)
IP20

Material:

Die cast Aluminium

Beam Angle:
12 Degrees

Installation:
Recessed / Mini Size

Item No / Colours:

B.L 28
sandy white

3w D35 *H60 MM Cut-out:30MM
6w D45 *H80 MM Cut-out:40MM



Price AED 95 / AED 125

Specification :

Model No: B.L 29

LED Light Source: Cree COB (3000K)
LED Driver: Regular/ Eaglerise(CE&TUV&SAA)
IP 20

Material:

Die cast Aluminium

Beam Angle:
12 Degrees

Installation:
Recessed / Frameless

Item No / Colours:

B.L 29
sandy white

3 w D35 * H 60 mm Cut Out 30MM



Price AED 150

Specification :

Model No: B.L 18

LED Light Source: Cree COB (3000K)

LED Driver: Regular/ Eaglerise(CE&TUV&SAA)

Material:

Die cast Aluminium

Beam Angle:

24 Degrees

Installation: Recessed

Item No / Colours:

B.L 18

sandy white / sandy black

Item Size

7 w D85*H65MM



Price AED 120 / AED 150

Specification :

Model No: B.L 30

LED Light Source: LED Chips (3000K)

LED Driver: Regular/ Eaglerise(CE&TUV&SAA)

IP44

Material:

Die cast Aluminium

Beam Angle:

60 Degrees

Installation: Recessed

Item No / Colours:

B.L 30

sandy white

Item Size

7 w D88 * H 45 mm

Cut Out 75 mm

15 w D130 * H 70mm

Cut Out 110 mm



Price AED 120 / AED 150

Specification :

Model No: B.L 31

LED Light Source: LED Chips (3000K)

LED Driver: Regular/ Eaglerise(CE&TUV&SAA)

IP44

Material:

Die cast Aluminium

Beam Angle:

60 Degrees

Installation: Recessed

Item No / Colours:

B.L 31

sandy white

Item Size

7 w D88 * H 45 mm

Cut Out 75 mm

15 w D130 * H 70mm

Cut Out 110 mm



Price AED 120 / AED 150

Specification :

Model No: B.L 32

LED Light Source: Cree COB (3000K)

LED Driver: Regular/ Eaglerise(CE&TUV&SAA)

Material:

Die cast Aluminium

Beam Angle:

24 Degrees

Installation:

Recessed

Item No / Colours:

B.L 32

sandy white

9 w D62*H60MM / Cut Out 55 mm

15 w D82*H66MM / Cut Out 75 mm



Price AED 110

Specification :

Model No: B.L 33

LED Light Source: Cree COB (3000K)

LED Driver: Regular/ Eaglerise(CE&TUV&SAA)

IP20

Material:

Die cast Aluminium

Beam Angle:

24 Degrees

Installation:

Recessed

Item No / Colours:

B.L33

sandy white

8w D63 *H85 MM Cut-out:55MM



Price AED 110

Specification :

Model No: B.L 34

LED Light Source: Osram2835 (3000K)

LED Driver: Regular/ Coie(CE&TUV&SAA)

Material:

Die cast Aluminium

Beam Angle:

24 Degrees

Installation:

Recessed

Item No / Colours:

B.L 28

sandy white & black

9w D62*H70MM Cut-out:55MM

PENDANT







Specification :
Model No: B.L 35

LED Light Source: Cree (3000K)
LED Driver: Regular/
Coie(CE&TUV&SAA)


Material:
Die cast Aluminium

Beam Angle:
24 Degrees

Installation:
Pendant

Item No / Colours:
B.L 35
sandwhite & black

7w D100*H95MM



Price AED 280



Specification :
Model No: B.L 20

LED Light Source: Osram 2835
(3000K)
LED Driver: Regular/ Eagler-
ise(CE&TUV&SAA)


Material:
Die cast Aluminium

Beam Angle:
120 Degrees

Installation:
Pendant

Item No / Colours:
B.L 20
sandwhite & black

12w D176*H121.3MM
18w D196*H130.5MM



Price AED 390 / AED 490



Specification :
Model No: B.L 36

LED Light Source: Osram 2835
(3000K)
LED Driver: Regular/ Eagler-
ise(CE&TUV&SAA)


Material:
Die cast Aluminium

Beam Angle:
60 Degrees Lens
120 Degrees Diffuser

Installation:
Pendant

Item No / Colours:
B.L 36
sandwhite & black

12w Lens D116*H35MM
12w Diffuser D116*H35MM



Price AED 380



Specification :
Model No: B.L 37

LED Light Source: Cree COB
(3000K)
LED Driver: Regular/ Eagler-
ise(CE&TUV&SAA)

Material:
Die cast Aluminium


Beam Angle:
23 Degrees

Installation:
Pendant

Item No / Colours:
B.L 37
sandwhite & black

12w x 1 D53*L200MM
Arm Length:550MM

12w x 2 D53*L200MM
Arm Length:750MM



Price AED 250 / AED 500

P E N D A N T



Price AED 290

Specification :
Model No: B.L 38

LED Light Source: Cree COB (3000K)
LED Driver: Regular/ Eaglerise(CE&TUV&SAA)

Material:
Die cast Aluminium

Beam Angle:
12 Degrees

Installation:
Pendant

Item No / Colours:
B.L 38
sandwhite & sandblack

3w D55*L250MM
Wire Length:1000MM

3w D55*L550MM
Wire Length:1000MM (adjustsble)

P E N D A N T



Price AED 400

Specification :

Model No: B.L 39

LED Light Source: LED Chip
(3000K)

LED Driver: Regular/ Eagle-
ise(CE&TUV&SAA)

Material:

Die cast Aluminium

Beam Angle:
12 Degrees

Installation:
Pendant

Item No / Colours:

B.L 39
sandwhite & sandblack

5w x 2 D25*L445MM
Wire Length:350MM

P E N D A N T



Price AED 450

Specification : Model No: B.L 40 LED Light Source: Osram 2835 (3000K) LED Driver: Regular/ Eagler-ise(CE&TUV&SAA)	Material: Die cast Aluminium + Acrylic Beam Angle: 120 Degrees Installation: Pendant	Item No / Colours: B.L 40 sandwhite & sandblack 5w x 2 D190*L410MM Wire Length:120MM (adjustble)
---	--	---



B . L U M E N

lighting house

BY IC9 LLC

SHOWROOM

Level 14

Boulevard Plaza Tower 1,
Sheikh Mohammed Bin Rashid Boulevard.
Downtown Dubai,
United Arab Emirates

office +971 4 444 9520
mobile +971 56 440 3207